## Scattering amplitudes for rationally extended PT symmetric complex potentials

Nisha Kumari<sup>1</sup>, Rajesh Kumar<br/> Yadav<sup>2</sup>, Avinash Khare<sup>3</sup>, Bijan Bagchi<sup>4</sup>, Bhabani Prasad Mandal<sup>5</sup>

Department of Physics, Banaras Hindu University, Varanasi-221005, India<sup>1,5</sup>, Department of

Physics, S. P. College, S. K. M. University, Dumka-814101, India<sup>2</sup>, Department of Physics,

Savitribai Phule Pune University, Pune-411007, India<sup>3</sup>, Department of Physics, School of

Natural Science, Shiv Nadar University, Greater Noida, UP-201314 India <sup>4</sup>

nishaism00860gmail.com<sup>1</sup>, rajeshastrophysics0gmail.com<sup>2</sup>,

Scattering amplitudes for the rationally extended PT symmetric complex potentials In this paper, we consider the rational extensions of two different PT symmetric complex potentials namely the asymptotically vanishing Scarf II and asymptotically non-vanishing Rosen-Morse II [ RM-II] potentials and obtain bound state eigenfunctions in terms of newly found exceptional  $X_m$  Jacobi polynomials and also some new type of orthogonal polynomials respectively. By considering the asymptotic behaviour of the exceptional polynomials, we obtain the reflection and transmission amplitudes for them and discuss the various novel properties of the corresponding amplitudes.